Sanitized Copy Approved for Release 2010/04/23 : CIA-RDP85-00142R000100150002-5

TRANSMIT	TTAL SLIP	DATE 20	2 G. ly 83
ro: D/	ODP 'C	1 2 2	JUL WAS
ROOM NO.	BUILDING	)	
REMARKS:			
(D) 200	a		
<del>D 2)</del> D EXO	40		
			·
FROM: C		<u> </u>	
rrom: D	DP /MS	) 	
ROOM NO.	BUILDING		EYTENSION
FORM NO. 241	REPLACES FORM 30 WHICH MAY BE US		

STAT

Sanitized Copy Approved for Release 2010/04/23 : CIA-RDP85-00142R000100150002-5

## A INISTRATIVE-INTERNAL USE CLY

ODP-83-1062 21 July 1983

	MEMORANDUM FOR:	See Distribution	on	
STAT	FROM:	Policy and Plar Management Stat		
	SUBJECT:	Announcement of Agency-owned Al	f the Availability o DP Equipment	f Excess
	lists ADP equipm	ent excess to DI assignment immed	Furn-In (PTI) docume NO's needs. The sysdiately and may be a t.	tem is
STAT	this system are reassignment of forward requests Attention: submit requests reassignment show component's requ	encouraged to su the equipment via speed lett Room 2D prior to 12 Augu uld contain a st irement. If mul	ements that could be ubmit a request to O Interested componenter, to ODP Manageme D0105, Headquarters. Ist 1983. The requestatement describing tiple requests are ed upon the componen	DP for ts should nt Staff, Please st for the received, ODP
STAT STAT	3. I may be further inquiries			for
	Attachment: a/s			
STAT	OC/DND/EXA, OL/P&PD/PP&S	SS/, Attn: SG/RTG, Attn: DC, Attn: ttn: /CSD, Attn: tn:		

ADMINISTRATIVE-INTERNAL USE ONLY

Sanitized Copy Approved for Release 2010/04/23: CIA-RDP85-00142R000100150002-5

## A. INISTRATIVE-INTERNAL USE C. LY

SUBJECT: Announcement of the Availability of Excess Agency-owned ADP Equipment

## DISTRIBUTION:

DDA ADP Control Officer
OC ADP Control Officer
OL ADP Control Officer
OS ADP Control Officer
DDI ADP Control Officer
NIESO ADP Control Officer
DDS&T ADP Control Officer
FBIS ADP Control Officer
NPIC ADP Control Officer
OD&E ADP Control Officer
ORD ADP Control Officer
GSO ADP Control Officer
OTS ADP Control Officer
OSWR ADP Control Officer

ADMINISTRATIVE-INTERNAL USE ONLY